



## Spartan Chemical Company, Inc.

### Material Safety Data Sheet

#### SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):  
**SSE CARPET PRESpray & SPOTTER**

Product Number: 3033; 3035

**Spartan Chemical Company, Inc.**

**1110 Spartan Drive**

**Maumee OH 43537**

Product Division:

**Janitorial**

Product/Technical Information: **1-(800)-537-8990**

Medical Emergency: **1-(888)-314-6171 (24 hours)**

Chemical Leak/Spill Emergency: **CHEMTREC 1-(800) 424-9300 (24 hours)**

Shipping Description: Cleaning compounds, liquid, n.o.s.	
<b>NFPA Ratings:</b>	<b>HMIS Ratings:</b>
<b>Health:</b> 1- Slight	<b>Health:</b> 1- Slight
<b>Fire:</b> 0 - Minimal	<b>Fire:</b> 0 - Minimal
<b>Reactivity:</b> 0 - Minimal	<b>Reactivity:</b> 0 - Minimal
	<b>Pers. Prot. Equip.:</b> See Section VIII

#### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z- 1 - A			Carcinogen
			TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CEILING mg/m <sup>3</sup>	
Acrylate copolymer	1-5	63744-68-3	Not Established	Not Established	Not Established	No
Propylene glycol monomethyl ether	1-5	107-98-2	369 (ACGIH)	553 (ACGIH)	Not Established	No

#### SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	8.5-9.5	Specific Gravity (H <sub>2</sub> O=1):	1.01
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	1.5
Physical State:	Liquid		
Appearance & Odor:		Non-viscous, light green liquid, citrus odor	

▼ **SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

Flash Point:	None	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A
Extinguishing Media:	N/A		
Special Fire Fighting Procedures:	N/A		
Unusual Fire & Explosive Hazards:	N/A		

▼ **SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes & Ingestion
Effects of Overexposure- Conditions to Avoid:	MAY CAUSE EYE AND SKIN IRRITATION. MAY BE HARMFUL IF SWALLOWED. INHALATION OF PRODUCT VAPORS OR MIST MAY CAUSE RESPIRATORY IRRITATION. AVOID CONTACT WITH EYES AND SKIN. DO NOT SWALLOW. AVOID BREATHING PRODUCT VAPORS OR MIST.		
Conditions Aggravated by Use:	Preexisting respiratory; skin and eye disorders.		

**Emergency & First Aid Procedures:**

Eyes:	In case of contact; immediately flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Wash off thoroughly in flowing water or shower. Wash clothing before reuse.
Ingestion:	Do not induce vomiting. Drink large one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	In case of respiratory irritation move person to fresh air. Get medical attention if irritation persists.

▼ **SECTION VI: REACTIVITY DATA**

Stability:	Stable	Incompatible Materials:	Oxidizing material; acids
Hazardous Decomposition Products:	None known	Hazardous Polymerization:	Will Not Occur

▼ **SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case Material is Released or Spilled:	Flush with water into sanitary sewer system.
Waste Disposal Method:	Same as above

▼ **SECTION VIII: SPECIAL PROTECTION INFORMATION**

Respiratory Protection:	If exposure limits are exceeded (see Section II) or if respiratory irritation occurs, use of a NIOSH approved respirator suitable for the conditions of use and the chemicals listed in Section II should be considered.
Ventilation:	Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber gloves
Eye Protection(Specify Type):	Chemical goggles
Other Protective Equipment:	None required

▼ **SECTION IX: SPECIAL PRECAUTIONS**

Precautions; Handling & Storing:	Nothing special
Other Precautions:	Keep out of reach of children

© SCC 04/04/2003

Name: Ronald T. Cook

Title: Manager, Regulatory Affairs

SSE CARPET PRESpray & SPOTTER

Effective Date: 04/04/2003

Supercedes: 09/29/1999

Date:

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Sections I, II, V, VIII & IX

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.