



For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,  
Call CHEMTREC Day or Night: 1-800-424-9300.  
For Medical Emergencies Only, Call 1-877-325-1840.

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Riverdale® TruPower<sup>2</sup> Selective Herbicide  
**Synonyms:** Herbicide Mixture of MCPA, Fluroxypyr and Dicamba  
**EPA Reg. No.:** 228-419

**Company Name:** Nufarm Americas Inc.  
 1333 Burr Ridge Parkway, Suite 125A  
 Burr Ridge, IL 60527

**Date of Issue:** July 29, 2005      **Supersedes:** November 11, 2004  
**Sections Revised:** New or updated information all sections

### 2. HAZARDS IDENTIFICATION

**Emergency Overview:**

**Appearance and Odor:** Amber colored liquid with mild, amine-like odor.

**Warning Statements:** Keep out of reach of children. WARNING. Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing.

**Potential Health Effects:**

**Likely Routes of Exposure:** Inhalation, eye and skin contact.

**Eye Contact:** Causes substantial but temporary eye damage. Vapors and mist may cause irritation.

**Skin Contact:** Moderately irritating. Overexposure by skin absorption may cause symptoms similar to those for ingestion.

**Ingestion:** Harmful if swallowed. May cause headache, dizziness, nausea, vomiting, gastrointestinal irritation, weakness and central nervous system depression.

**Inhalation:** Low inhalation toxicity.

**Medical Conditions Aggravated by Exposure:** Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

See Section 11: TOXICOLOGICAL INFORMATION for more information

**Potential Environmental Effects:**

This product is toxic to fish. Drift or runoff from treated areas may be hazardous to aquatic organisms and non-target plants.

See Section 12: ECOLOGICAL INFORMATION for more information

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	% BY WEIGHT
Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid	2039-46-5	51.05
1-Methylheptyl Ester of Fluroxypyr	81406-37-3	12.00
Dicamba (3,6-Dichloro-o-Anisic Acid)	1918-00-9	4.17
Other Ingredients Including:		32.78
Aromatic Solvent	64742-94-5	
(Contains Naphthalene)	91-20-3	

**4. FIRST AID MEASURES**

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If on Skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**5. FIRE FIGHTING MEASURES**

**Flash Point:** >230°F (>110°C) Setaflash

**Autoignition Temperature:** Not determined

**Flammability Limits:** Not determined

**Extinguishing Media:** Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

**Special Fire Fighting Procedures:** Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

**Unusual Fire and Explosion Hazards:** If water is used to fight fire, contain runoff, using dikes to prevent contamination of water supplies. Dispose of fire control water later.

**Hazardous Decomposition Materials (Under Fire Conditions):** May produce gases such as hydrogen chloride, nitrogen oxides, and carbon oxides.

**National Fire Protection Association (NFPA) Hazard Rating:**

**Rating for this product: Health: 2    Flammability: 1    Reactivity: 0**

**Hazards Scale: 0 = Minimal    1 = Slight    2 = Moderate    3 = Serious    4 = Severe**

**6. ACCIDENTIAL RELEASE MEASURES**

**Personal Precautions:** Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

**Environmental Precautions:** Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

**Methods for Containment:** Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

**Methods for Clean-Up and Disposal:** Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

**Other Information:** Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

**7. HANDLING AND STORAGE****Handling:**

Do not get in eyes, on skin or on clothing. Users should wash hands, face, and arms with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove Personal Protective

**MATERIAL SAFETY DATA SHEET****Riverdale TruPower<sup>2</sup> Selective Herbicide**

Equipment (PPE) immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**Storage:**

Always use original container to store pesticides in a secured warehouse or storage building. Protect from freezing. Store at temperatures above 25°F. If allowed to freeze, remix before using. This does not alter the product. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Engineering Controls:**

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

**Personal Protective Equipment:**

**Eye/Face Protection:** To avoid contact with eyes, wear face shield, goggles or safety glasses with front, brow and temple protection. An emergency eyewash should be readily accessible to the work area.

**Skin Protection:** To avoid contact with skin, wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves. An emergency shower should be readily accessible to the work area.

**Respiratory Protection:** Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

**General Hygiene Considerations:** Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) Do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

**Exposure Guidelines:**

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
Dimethylamine Salt MCPA	NE	NE	NE	NE	
Fluroxypyr	NE	NE	NE	NE	
Dicamba	NE	NE	NE	NE	
Naphthalene	10	NE	10 (Skin)	15 (Skin)	ppm

NE = Not Established

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance and Odor:** Amber colored liquid with mild, amine-like odor.

<b>Boiling Point:</b>	Not determined	<b>Solubility in Water:</b>	Soluble
<b>Density:</b>	9.58 pounds/gallon	<b>Specific Gravity:</b>	1.151
<b>Evaporation Rate:</b>	Not determined	<b>Vapor Density:</b>	Not determined
<b>Freezing Point:</b>	Not determined	<b>Vapor Pressure:</b>	Not determined
<b>pH:</b>	3.86 (1% solution)	<b>Viscosity:</b>	127 cps @ 25°C

**Note:** Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

<b>10. STABILITY AND REACTIVITY</b>
-------------------------------------

**Chemical Stability:** This material is stable under normal handling and storage conditions.

**Conditions to Avoid:** Excessive heat. Do not store near heat or flame.

**Incompatible Materials:** Strong oxidizing agents; bases and acids.

**Hazardous Decomposition Products:** Under fire conditions, may produce gases such as hydrogen chloride, nitrogen oxides, and carbon oxides.

**Hazardous Reactions:** Hazardous polymerization will not occur.

<b>11. TOXICOLOGICAL INFORMATION</b>
--------------------------------------

**Toxicological Data:**

Data from laboratory studies on this product are summarized below:

**Oral:** Rat LD<sub>50</sub>: 1, 750 mg/kg (female); FIFRA Category III

**Dermal:** Rat LD<sub>50</sub>: >2,000 mg/kg and < 5,000 mg/g; FIFRA Category III

**Inhalation:** Rat 4-hr LC<sub>50</sub>: >2.03 mg/L; FIFRA Category IV

**Eye Irritation:** Rabbits (3): Moderately irritating; FIFRA Category II

**Skin Irritation:** Rabbits (3); Moderately irritating; FIFRA Category III

**Skin Sensitization:** Not a contact sensitizer in guinea pigs following repeated skin exposure.

**Subchronic (Target Organ) Effects:** Repeated overexposure may cause effects to liver, kidneys, blood chemistry, testes and gross motor function. Rare cases of peripheral nerve damage have been reported, but extensive animal studies have failed to substantiate these observations, even at high doses for prolonged periods.

**Carcinogenicity / Chronic Health Effects:** The International Agency for Research on Cancer (IARC) lists exposure to chlorophenoxy herbicides as a class 2B carcinogen; the category for limited evidence for carcinogenicity in humans. However, newer rat and mouse lifetime feeding studies did not show carcinogenic potential for MCPA. Fluroxypyr did not cause cancer in laboratory animals. The U.S. EPA has given dicamba a Class D classification (not classifiable as to human carcinogenicity). The hydrocarbon component may contain naphthalene, which is listed by IARC as a class 2B and the U.S. National Toxicology Program as reasonably anticipated to be a human carcinogen.

**Reproductive Toxicity:** Testicular effects and lower male fertility have been noted in animal studies for MCPA. In animal studies, fluroxypyr has been shown not to interfere with reproduction. Dicamba did not interfere with fertility in reproduction studies in laboratory animals.

**Developmental Toxicity:** MCPA studies in laboratory animals have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals. Fluroxypyr did not cause birth defects in animals; other effects were seen in the fetus only at doses which caused toxic effects in the mother. Animal tests with dicamba have not demonstrated developmental effects.

**Genotoxicity:** There have been some positive and some negative studies, but the weight of evidence is that MCPA is not mutagenic. Animal tests with fluroxypyr and dicamba did not demonstrate mutagenic effects.

**Assessment Carcinogenicity:**

This product contains substances that are considered to be probable or suspected human carcinogens as follows:

Component	Regulatory Agency Listing As Carcinogen			
	ACGIH	IARC	NTP	OSHA
Chlorophenoxy Herbicides	No	2B	No	No
Naphthalene	No	2B	Yes*	No

\*Reasonably anticipated to be a human carcinogen

See Section 2: HAZARDOUS IDENTIFICATION for more information.

<b>12. ECOLOGICAL INFORMATION</b>
-----------------------------------

**Ecotoxicity:****Data on MCPA Dimethylamine Salt:**

96-hour LC <sub>50</sub> Bluegill:	>164 mg/l	Bobwhite Quail Oral LD <sub>50</sub> :	478 mg/kg
96-hour LC <sub>50</sub> Rainbow Trout:	119 mg/l	Mallard Duck 8 day Dietary LC <sub>50</sub> :	>5,620 ppm
48 hour EC <sub>50</sub> Daphnia:	100 mg/l		

**\*Data on Fluroxypyr 1-Methylheptyl Ester:**

Acute LC <sub>50</sub> Blue Gill: above water solubility		Bobwhite Quail Acute Oral LD <sub>50</sub> :	>2,000 mg/kg
Acute LC <sub>50</sub> Rainbow Trout: above water solubility		Mallard Duck Acute Oral LC <sub>50</sub> :	>2,000 mg/kg
Acute Immobilization EC 50 Daphnia Magna:	>499 µg/L		

\*Fluroxypyr 1-Methylheptyl Ester is highly insoluble in water.

**Data on Dicamba**

96-hour LC <sub>50</sub> Bluegill:	135 mg/l	Bobwhite Quail 8 day Dietary LC <sub>50</sub> :	>10,000 ppm
96-hour LC <sub>50</sub> Rainbow Trout:	135 mg/l	Mallard Duck 8 day Dietary LC <sub>50</sub> :	>10,000 ppm
48 hour EC <sub>50</sub> Daphnia:	110 mg/l		

**Environmental Fate:**

MCPA dimethylamine salt rapidly dissociates to parent MCPA acid in the environment. In soil, MCPA is microbially degraded with a typical half-life of approximately 10 to 14 days. Fluroxypyr has a hydrolysis half-life of 12.8 to 16.5 hours. Under aerobic and anaerobic soil conditions the half-life for Fluroxypyr is 7 days. Dicamba has low bioaccumulation potential, is not persistent in soil, is highly mobile in soil and degrades rapidly.

<b>13. DISPOSAL CONSIDERATIONS</b>
------------------------------------

**Waste Disposal Method:**

Pesticide wastes are toxic. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed, labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Handling and Disposal:**

**Plastic Bottles and Non-Returnable Plastic Drums:** Triple rinse (or equivalent), adding the rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**Returnable/Refillable Containers:** Close all openings and replace all caps. Contact Nufarm Customer Service at 1-800-345-3330, to arrange for return of the empty refillable container.

<b>14. TRANSPORTATION INFORMATION</b>
---------------------------------------

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

For Department of Transportation (DOT) regulatory information, if required, consult transportation regulations, product-shipping papers or call Nufarm's DOT Manager at 708-755-2104, Monday through Friday, 8:00 AM to 5:00 PM Central Time.

**15. REGULATORY INFORMATION****U.S. Federal Regulations:**

**TSCA Inventory:** This product is exempted from TSCA because it is solely for FIFRA regulated use.

**SARA Hazard Notification/Reporting:**

**Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):**

Immediate, Delayed

**Section 313 Toxic Chemical(s):**

Dicamba (CAS No. 1918-00-9), 4.17% by weight in product

Naphthalene (CAS No. 91-20-3), 0.20% by weight in product

**Reportable Quantity (RQ) under U.S. CERCLA:**

Dicamba (CAS No. 1918-00-9) 1,000 pounds

Naphthalene (CAS No. 91-20-3) 100 pounds

**RCRA Waste Code:**

Naphthalene (CAS No. 91-20-3) U165

**State Information:**

Other state regulations may apply. Check individual state requirements.

**California Proposition 65:** WARNING. This product contains chemicals known to the State of California to cause cancer or birth defects or other reproductive harm.

**16. OTHER INFORMATION**

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use or of reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

Riverdale and TruPower are registered trademarks of Nufarm Americas Inc.